SKY TEN



Box gros weight 17,6 kg – Vol. box 0,33 m³

High back executive – mod. 0101S

Frame:

Ø 25 mm side chromed or black varnished metal tube, 2 mm thick, without side screws.
Chromed or black varnished backrest bracket and underseat support.
Supportive seat and back inner mesh.
30 kg/m³ 15 mm thick fire retardant backrest foam.

Armrests:

Without armrests

BR048 - chromed or black varnished aluminum armrests.

Mechanism:

MO11N – black 4 locking knee-tilt mechanism with side tension control.

MO11Y – black tilt mechanism with tension adjustable knob and work position lock

MG11W – black metal gas lift plate.

Base:

BG065 – 5 star ø 690 mm polished or varnished aluminum base. See color chart.

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com

SKY TEN

Castors:

R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.

R27 - Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.

R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.

R21 - Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.

P03 – Set of high chromed metal gliders.

P04 – Set of high black nylon gliders.

Color chart:

.C – Chromed **.L** – Polished **.N** – Black

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com

SKY TEN



Box gros weight 15,8 kg – Vol. box 0,30 m³

Low back executive – mod. 0201S

Frame:

Ø 25 mm side chromed or black varnished metal tube, 2 mm thick, without side screws.
Chromed or black varnished backrest bracket and underseat support.
Supportive seat and back inner mesh.
30 kg/m³ 15 mm thick fire retardant backrest foam.

Armrests:

Without armrests

BR048 - chromed or black varnished aluminum armrests.

Mechanism:

MO11Y – black tilt mechanism with tension adjustable knob and work position lock

MG11W – black metal gas lift plate.

Base:

BG065 – 5 star ø 690 mm polished or varnished aluminum base. See color chart.

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com

SKY TEN

Castors:

R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.

R27 - Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.

R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.

R21 - Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.

P03 – Set of high chromed metal gliders.

P04 – Set of high black nylon gliders.

Color chart :

.C – Chromed **.L** – Polished **.N** – Black

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com

SKY TEN



Box gros weight 13,8 kg – Vol. box 0,44 m³

Visitator – mod. 0538S

Frame:	Ø 25 mm side chromed or black varnished metal tube, 2 mm thick, without side screws. Chromed or black varnished backrest bracket and underseat support. Supportive seat and back inner mesh. 30 kg/m³ 15 mm thick fire retardant backrest foam.
Armrests:	**Without armrests** **BR048** - chromed or black varnished aluminum armrests.
Base:	Ø 25 mm 2 mm thick chromed or black varnished cantilever base with plastic gliders.

Color chart:

.C – Chromed

.N – Black

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com

SKY TEN user manual

Seat height adjustment. Pull the lever on the right under the seat to raise the height. Pull the lever while seated to lower the chair height.

MO11N

Tilt adjustment. Twist the right lever clockwise to lighten the tilt resistance. Twist the right lever anticlockwise to strengthen the tilt resistance.

Tilt lock. Pull the left hand lever upwards to lock the chair in the desired tilt position. Press the left hand lever downwards to unlock the chair in the desired tilt position.

MO11Y

Tilt adjustment. Twist the knob clockwise to lighten the tilt resistance. Twist the knob anticlockwise to strengthen the tilt resistance.

Tilt lock. Pull out the lever to release the tilt action. Press the lever inside while in working position to lock the tilt.

MILANI

Milani S.r.l.
Sede operativa/uffici:
Via Giorgione, 21
31056 Roncade (TV) Italia

Sede legale/showroom:
Via delle Industrie II, 5/7
30020 Meolo (VE)

Tel. 0422 1860501
info@sm-milani.com
www.sm-milani.com