

Box gros weight 16,55 kg – Box vol. 0,25 m³

Operative – mod. 0405S

Structure: Seat with plastic inner frame reinforced with metal bars. Padded with fire retardant polyurethane injected foam, 63 kg/mc density. Plastic underseat for armrests with 10° tilt. Plastic high backrest, height adjustable up/down with 60 mm range, RS mesh finish

Plastics: Black or white plastics.



N – black W – white RAL 9003

Armrests:

Without armrests

 **BR009.N** - black nylon armrests, PU arm pads. Height adjustable.

 **BR010.N** - 4D adjustable black nylon armrests (height/depth/rotation/width), PU arm pads.

 **BR010.L** - 4D adjustable black nylon armrests (height/depth/rotation/width) with aluminium structure, PU arm pads.

 **BR010.W** - 4D adjustable white nylon armrests (height/depth/rotation/width), black body and PU arm pads.

 **BR196.W** - 2D adjustable armrest (height/width) with chromed body and white nylon arm pads.

ZED

Mechanism:


MS11H – synchronized mechanism with 4 locking positions and knob tension control.



N – black

Base:

BG065 – 5 star polished aluminium base Ø 690 mm.



L – polished

BG064 – 5 star nylon base Ø 680 mm.



N – black



W – white

Castors:



R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



R27 – Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R21 – Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R23 – Set of white PP hard floor castors Ø 60 mm and Ø 11 mm pivot.




R24 – Set of white hollowed PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



P03 – Set of high chromed metal gliders.



P04 – Set of high black nylon gliders.



Box gros weight 16,95 kg – Box vol. 0,25 m³

Operative – mod. 0416S

Structure:	Seat with plastic inner frame reinforced with metal bars. Padded with fire retardant polyurethane injected foam, 63 kg/mc density. Plastic underseat for armrests with 10° tilt. Seat slide 72 mm stroke. Plastic high backrest, height adjustable up/down with 60 mm range, RS mesh finish.
------------	---

Plastics:	Black or white plastics.  N – black  W – white RAL 9003
-----------	--

Armrests:	Without armrests BR009.N - black nylon armrests, PU arm pads. Height adjustable. BR010.N - 4D adjustable black nylon armrests (height/depth/rotation/width), PU arm pads. BR010.L - 4D adjustable black nylon armrests (height/depth/rotation/width) with aluminium structure, PU arm pads. BR010.W - 4D adjustable white nylon armrests (height/depth/rotation/width), black body and PU arm pads. BR196.W - 2D adjustable armrest (height/width) with chromed body and white nylon arm pads.
-----------	---

ZED

Mechanism:


MS11K – synchronized mechanism with 5 locking positions and side tension control.



N – black

Base:

BG065 – 5 star polished aluminium base Ø 690 mm.



L – polished

BG064 – 5 star nylon base Ø 680 mm.



N – black



W – white

Castors:



R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



R27 – Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R21 – Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R23 – Set of white PP hard floor castors Ø 60 mm and Ø 11 mm pivot.




R24 – Set of white hollowed PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



P03 – Set of high chromed metal gliders.



P04 – Set of high black nylon gliders.



Box gros weight 17,4 kg – Box vol. 0,25 m³

Operative – mod. 0417S

Structure: Seat with plastic inner frame reinforced with metal bars. Padded with fire retardant polyurethane injected foam, 63 kg/mc density. Plastic underseat for armrests with 10° tilt. Seat slide 72 mm stroke.

Plastic high backrest, height adjustable up/down with 60 mm range, RS mesh finish.

Padded lumbar support with black plastics, depth adjustable.

Plastics: Black or white plastics.



N – black W – white RAL 9003

Armrests:



Without armrests

BR009.N - black nylon armrests, PU arm pads. Height adjustable.

BR010.N - 4D adjustable black nylon armrests (height/depth/rotation/width), PU arm pads.

BR010.L - 4D adjustable black nylon armrests (height/depth/rotation/width) with aluminium structure, PU arm pads.

BR010.W - 4D adjustable white nylon armrests (height/depth/rotation/width), black body and PU arm pads.

BR196.W - 2D adjustable armrest (height/width) with chromed body and white nylon arm pads.

Mechanism: **MS11K** – synchronized mechanism with 5 locking positions and side tension control.



N – black

Base: **BG065** – 5 star polished aluminium base Ø 690 mm.



L – polished

BG064 – 5 star nylon base Ø 680 mm.



N – black



W – white

Castors:



R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



R27 - Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R21 - Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R23 – Set of white PP hard floor castors Ø 60 mm and Ø 11 mm pivot.




R24 – Set of white hollowed PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



P03 – Set of high chromed metal gliders.



P04 – Set of high black nylon gliders.



Box gros weight 17,6 kg – Box vol. 0,25 m³

Operative – mod. 0418S

Structure:

Seat with plastic inner frame reinforced with metal bars. Padded with fire retardant polyurethane injected foam, 63 kg/mc density. Plastic underseat for armrests with 10° tilt. Seat slide 72 mm stroke.

Plastic high backrest, height adjustable up/down with 60 mm range, RS mesh finish.

Height and orientation adjustable headrest (60 mm range) padded with fire retardant polyurethane injected foam, 63 kg/mc density.

Plastics:

Black or white plastics.



N – black



W – white RAL 9003

Armrests:

Without armrests



BR009.N - black nylon armrests, PU armpads. Height adjustable.



BR010.N - 4D adjustable black nylon armrests (height/depth/rotation/width), PU armpads.



BR010.L - 4D adjustable black nylon armrests (height/depth/rotation/width) with aluminium structure, PU armpads.



BR010.W - 4D adjustable white nylon armrests (height/depth/rotation/width), black body and PU armpads.



BR196.W - 2D adjustable armrest (height/width) with chromed body and white nylon armpads.

Mechanism: **MS11K** – synchronized mechanism with 5 locking positions and side tension control.



N – black

Base: **BG065** – 5 star polished aluminium base Ø 690 mm.



L – polished

BG064 – 5 star nylon base Ø 680 mm.



N – black

W – white

Castors:



R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



R27 Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R21 - Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R23 – Set of white PP hard floor castors Ø 60 mm and Ø 11 mm pivot.




R24 – Set of white hollowed PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



P03 – Set of high chromed metal gliders.



P04 – Set of high black nylon gliders.



Box gros weight 17,6 kg – Box vol. 0,25 m³

Operative – mod. 0419S

Structure:

Seat with plastic inner frame reinforced with metal bars. Padded with fire retardant polyurethane injected foam, 63 kg/mc density. Plastic underseat for armrests with 10° tilt. Seat slide 72 mm stroke.

Plastic high backrest, height adjustable up/down with 60 mm range, RS mesh finish

Padded lumbar support with black plastics, depth adjustable.

Height and orientation adjustable headrest (60 mm range) padded with fire retardant polyurethane injected foam, 63 kg/mc density.

Plastics:

Black or white plastics.



N – black



W – white RAL 9003

Armrests:

Without armrests



BR009.N - black nylon armrests, PU arm pads. Height adjustable.



BR010.N - 4D adjustable black nylon armrests (height/depth/rotation/width), PU arm pads.



BR010.L - 4D adjustable black nylon armrests (height/depth/rotation/width) with aluminium structure, PU arm pads.



BR010.W - 4D adjustable white nylon armrests (height/depth/rotation/width), black body and PU arm pads.



BR196.W - 2D adjustable armrest (height/width) with chromed body and white nylon arm pads.

Mechanism: **MS11K** – synchronized mechanism with 5 locking positions and side tension control.



N – black

Base: **BG065** – 5 star polished aluminium base Ø 690 mm.



L – polished

BG064 – 5 star nylon base Ø 680 mm.



N – black

W – white

Castors:



R26 – Set of black PP self-breaking castors Ø 65 mm and Ø 11 mm pivot.



R27 Set of black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot.



R28 – Set of hollowed black PP self-breaking hard floor castors Ø 65 mm and Ø 11 mm pivot



R21 - Set of chromed PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R23 – Set of white PP hard floor castors Ø 60 mm and Ø 11 mm pivot.



R24 – Set of white hollowed PP self-breaking castors Ø 65 mm and Ø 11 mm pivot



P03 – Set of high chromed metal gliders




P04 – Set of high black nylon gliders

ZED user guide


Backrest height adjustment.

Pull the backrest upwards to increase the height. Pull the backrest up to the maximum possible height to bring it back to the minimum height automatically



Seat slide adjustment.

Press the button situated on the right side of the seat to adjust the seat depth. Release the button to lock the seat in the desired position



Chair height adjustment.

Pull the lever on the right upwards without sitting to increase the height of the chair. Press the lever upwards when seating to reduce the height of the chair



Tilt adjustment.

Turn clockwise the lever on the left to decrease the tilting resistance. Turn the lever counterclockwise to increase the tilting resistance



Headrest orientation adjustment.

Manually push or pull the headrest to adjust the tilt.




Lumbar support depth adjustment.

Turn the lever to increase or decrease the backrest depth to the desired position.



Headrest height adjustment.

Raise or lower the headrest manually to adjust the desired height.



Armrest width adjustment.

Unlock the underseat lever to increase or decrease the armrest width. Lock the lever into the desired position.




Pad width adjustment.

Manually move the pad to the desired position.



Pad depth adjustment.

Manually move the pad to the desired position.



Pad rotation adjustment.

Manually rotate the pad to the desired position.



Armrest height adjustment.

Press the side button to adjust the height.

